Applicant:

Strong, Edward

Serial No.:

10/709,186

Page 2

Amendments to the Claims:

Please amend the claims as follows:

1. (Currently Amended) An aerial delivery device capable of delivering a payload,

comprising:

an overloaded ram-air drogue parachute;

a descent control system, to which said overloaded ram-air drogue parachute is

connected, for steering said overloaded ram-air drogue parachute in connection with said drogue

parachute; and

[[a]] one or more recovery parachute parachutes.

2. (Currently Amended) The aerial delivery device of claim 1, wherein the descent

control system includes a suspension plate with one or more suspension straps attached to said

suspension plate for engaging the payload, said payload being suspended below said suspension

plate and descent control system prior to the deployment of the recovery parachute.

3. (Currently Amended) The aerial delivery device of claim [[of]] 2, wherein the

suspension plate is in mechanical connection with and is a part of a control box, said suspension

plate being connected to the overloaded ram-air drogue parachute by one or more suspension lines.

4. (Currently Amended) The aerial delivery device of claim 1, wherein, prior to

extraction and deployment, said recovery parachute is contained within a recovery parachute

container attached to said payload.

5. (Withdrawn) The aerial delivery device of claim 1 wherein said descent control

system includes a link located between the payload, the drogue parachute and the recovery

parachute.

Applicant:

Strong, Edward

Serial No.:

10/709,186

Page 3

6. (Withdrawn) The aerial delivery device of claim 3, wherein two of said suspension

plate includes drogue parachute attachment points and at least one payload suspension point spaced

apart from said drogue parachute suspension point.

7. (Withdrawn) The aerial delivery device of claim 6, wherein said drogue parachute

is attached to drogue riser straps attached to said drogue parachute attachment points and wherein

said payload is attached to payload straps attached to said payload suspension point.

8. (Original) The aerial delivery device of claim 1, wherein said descent control

system includes at least one servo motor.

9. (Original) The aerial delivery device of claim 1, wherein said descent control

system comprises a signal receiver in electronic connection with at least one servo motor.

10. (Original) The aerial delivery device of claim 1, further comprising means for

activating said recovery parachute.

11. (Withdrawn) The aerial delivery device of claim 5, wherein said link is polygonal.

12. (Withdrawn) The aerial delivery device of claim 11, wherein the link is triangular.

13. (Withdrawn) The aerial delivery device of claim 12, further comprising a means

for reducing the risk of tangling between the link and the drogue parachute.

14. (Original) The aerial delivery device of claim 9, wherein at least one servo motor is

controlled via one or more joysticks on a remote control.

15. (Currently Amended) The aerial delivery device of claim 1, wherein said payload

is attached to said recovery parachute by an extraction bridle a swivel and one or more parachute

riser straps that connect to one or more suspension lines, said suspension lines being directly

connected to said recovery parachute.

Applicant:

Strong, Edward

Serial No.:

10/709,186

Page 4

16. (Withdrawn) The aerial delivery device of claim 7, wherein said drogue riser straps

are attached to said drogue attachment points by ring release mechanisms activated by a cutter.

17. (Original) The aerial delivery device of claim 9, wherein said receiver is adapted to

receive signals from a remote control, and said remote receiver is adapted to direct said servo

motor.

18. (Withdrawn) The aerial delivery device of claim 1, wherein said aerial delivery

device is interfaced with a global positioning system for autonomous navigation of said payload.

19. (Currently Amended) The aerial delivery device of claim 1, further comprising a

means for <u>activating and</u> controlling the deployment of the drogue <u>recovery</u> parachute.

20. (Withdrawn) The aerial delivery device of claim 1, wherein the means for

controlling includes a slider.

21. (Withdrawn) The aerial delivery device of claim 20, wherein the means for

controlling further includes one or more brake lines.

22. (Currently Amended) An aerial delivery device, comprising:

a ram-air drogue parachute means for directing guiding and decelerating the descent

of a payload while still allowing said payload to continue falling at a rapid velocity so as to reduce

the amount of time said payload is in the air;

means for directing the ram-air drogue parachute means so that said ram-air drogue

parachute means lands at or near a specified target location;

said ram-air drogue parachute means including a means for directly

connecting to one end of said means for directing;

a means for reducing the rate of descent to a predetermined rate at a predetermined

Applicant: Serial No.:

Strong, Edward 10/709,186

Page 5

height for a payload to provide said payload with a soft landing; and

said means for reducing including a means for engaging an opposite end of

said means for directing.